



MAS 98K

Линолов

Средно ранен

Оробанче E



ЗА ФЕРМЕРИ, КОИТО ГОНЯТ ДОБРИ РЕЗУЛТАТИ

- **ВИСОК ПРОИЗВОДСТВЕН ПОТЕНЦИАЛ**

За повишена производителност

- **ВИСОК ДОБИВ**

Отговор на различните ареали на култивиране

- **МНОГО ДОБЪР ФИТОСАНИТАРЕН ПРОФИЛ**

За местата с голям натиск от Средноранен и Вертицилиум



Характеристики

Цъфтеж **Средно ранен**

Зрелост **Средно ранен**

Тип масленост **Линолов**

Ръст на растението **Високо**

Форма на питата **Изпъкнала**

Положение на питата **Леко наклонена**

TKW **55 - 65 g**

Маслено съдържание **44 - 45 %**

Агрономия

Начално развитие

7

Устойчивост на полягане

9

Толерантност на засушаване

8

9 = много толерантен, 1 = чувствителен

Толерантност към болести

Оробанче **E**

Мана **RM9**

Склеротиния (пита)

8

Стъблена склеротиния

9

Вертицилиум

9

Фомопсис

9

9 = много толерантен, 1 = чувствителен

Препоръки за културата

	Оптимални условия	Неблагоприятни условия
Адаптивност	4 на 4	4 на 4
Density at harvest	6000 - 65000 семена/дка	5500 - 60000 семена/дка

The results and recommendations given in this document are the values based on MAS Seeds R&D network and are intended for general guidance. We cannot assume any liability for the future achievement of these values, as the individual results and the performance may vary in different local growing, soil and weather conditions.